

Certificate of Analysis

Produced: Aug 04, 2026

Sample: Imperial 0.5G Live Resin Total THC - God's Breath (Concentrate) • Client: The Pack Label Inc • Batch: Pass



Batch No.: HGGB3
Matrix: Concentrate
Sample ID: ICC-260723-19-003
Collected on: Jul 23, 2026
Received on: Jul 23, 2026
Batch Size:
Sample Size:

Batch Result: Pass

Potency	Tested	Mycotoxins	Pass
Solvents	Pass	Pesticides	Pass
Metals	Pass	Foreign	Pass
Microbial	Pass	Lipids	Tested

Cannabinoid Overview

Total THC:	0.000 %
Total CBD:	0.000 %
Total Cannabinoids:	66.7 %
Sum of Cannabinoids:	66.7 %



Signature

Signature

Cannabinoids

Analyte	Amt (%)	Amt (mg/g)	LOD/LOQ (mg/g)	Pass/Fail	Analyte	Amt (%)	Amt (mg/g)	LOD/LOQ (mg/g)	Pass/Fail
9R-HHC ²	38.4	384	0.0243/0.779	N/A	CBNA ¹	ND	ND	0.138/0.412	N/A
9S-HHC ²	18.2	182	0.0414/0.802	N/A	CBT ¹	ND	ND	0.116/0.405	N/A
CBC ¹	ND	ND	0.267/0.801	N/A	Δ ⁸ -THC ¹	0.332	3.32	0.0654/0.405	N/A
CBCA ¹	ND	ND	0.375/1.12	N/A	Δ ⁸ -THC-O-acetate ²	ND	ND	0.0300/0.879	N/A
CBCV ¹	ND	ND	0.116/0.405	N/A	Δ ⁸ -THCP ²	1.29	12.9	0.0672/0.893	N/A
CBD ¹	ND	ND	0.0816/0.405	N/A	Δ ⁸ -THCV ²	ND	ND	0.0170/0.885	N/A
CBDA ¹	ND	ND	0.195/0.585	N/A	Δ ⁹ -THC ¹	ND	ND	0.108/0.405	N/A
CBDB ²	ND	ND	0.0366/0.913	N/A	Δ ⁹ -THC-O-acetate ²	ND	ND	0.0276/0.886	N/A
CBDP ²	ND	ND	0.0318/0.911	N/A	Δ ⁹ -THCP ²	8.50	85.0	0.0474/0.901	N/A
CBDV ¹	ND	ND	0.0647/0.405	N/A	HHC-O-acetate ²	ND	ND	0.0500/0.819	N/A
CBDVA ¹	ND	ND	0.212/0.636	N/A	THCA ¹	ND	ND	0.148/0.445	N/A
CBE ²	ND	ND	0.0433/0.916	N/A	THCV ¹	ND	ND	0.0500/0.405	N/A
CBG ¹	ND	ND	0.0922/0.405	N/A	THCVA ¹	ND	ND	0.161/0.485	N/A
CBGA ¹	ND	ND	0.144/0.432	N/A	THD ²	ND	ND	0.0317/0.849	N/A
CBL ¹	ND	ND	0.0637/0.405	N/A	Total CBD ^{1**}	ND	ND		N/A
CBLA ¹	ND	ND	0.884/2.65	N/A	Total THC ^{1**}	ND	ND		N/A
CBN ¹	ND	ND	0.0922/0.405	N/A	Total Cannabinoids ^{**}	66.7	667		N/A

¹ POT-INST-005, POT-PREP-001: POT-INST-005, POT-PREP-001: Expanded Potency // Jul 28, 2026 // Compliance requirements for this test are taken from UT Hemp regulations.

² POT-INST-005, POT-PREP-001: POT-INST-005, POT-PREP-001: Comprehensive Cannabinoids // Jul 28, 2026 // Compliance requirements for this test are taken from UT Hemp regulations.

** Total Cannabinoids = Neutral Cannabinoids + (Acidic Cannabinoids * 0.877)

** Total THC = (THCA x 0.877) + Delta-9-THC

** Total CBD = (CBDA x 0.877) + CBD

NR= Not Reported, ND= Not Detected, *Reported by Dry Mass*; *analytical instrumentation used Cannabinoids: UHPLC-DAD, Moisture: Mass by Drying, Water Activity: Water Activity Meter, Foreign: Microscope*

*Density tested at a temperature range between 19-24 °C, *Water Activity tested at a humidity range between 0-90% Relative Humidity. All OA samples are sampled by the client, All California State Compliant samples sampled using SAMPL-SOP-001.

Utah RS-INST-003, Utah RS-PREP-001: Utah RS-INST-003, Utah RS-PREP-001: Comprehensive Residual Solvents by GC-MS • Jul 28, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
1,1-Dichloroethylene	8	ND	0.0471/0.141	Pass	Ethanol	5000	ND	1.50/4.51	Pass
1,2-Dichloroethane	2	ND	0.107/0.320	Pass	Ethyl acetate	400	ND	0.314/0.942	Pass
1,2-Dimethoxyethane	100	ND	0.779/2.34	Pass	Ethylbenzene	150	ND	0.468/1.40	Pass
1,4-Dioxane	380	ND	0.818/2.45	Pass	Ethylene glycol	620	ND	0.573/1.72	Pass
1-Butanol	5000	ND	0.343/1.03	Pass	Ethylene oxide	5	ND	0.499/1.50	Pass
1-Pentanol	5000	ND	0.283/0.848	Pass	Ethyl ether	500	ND	0.350/1.05	Pass
2,2-Dimethylbutane	290	ND	0.415/1.25	Pass	Heptane	5000	ND	0.305/0.914	Pass
2,3-Dimethylbutane	290	ND	0.478/1.43	Pass	Hexane	250	ND	0.464/1.39	Pass
2-Butanol	5000	ND	5.77/17.3	Pass	Isopropyl acetate	5000	ND	1.18/3.55	Pass
2-Butanone	5000	ND	1.42/4.27	Pass	Methanol	250	ND	27.2/81.7	Pass
2-Ethoxyethanol	160	ND	0.646/1.94	Pass	Methylpropane	5000	ND	2.30/6.89	Pass
2-Methylbutane	5000	ND	0.614/1.84	Pass	N,N-Dimethylacetamide	1090	ND	2.91/8.74	Pass
2-Methylpentane	290	ND	0.295/0.887	Pass	N,N-Dimethylformamide	880	ND	0.459/1.38	Pass
2-Propanol	500	23.7	0.544/1.63	Pass	Pentane	750	ND	4.24/12.7	Pass
3-Methylpentane	290	ND	0.293/0.879	Pass	Propane	5000	ND	2.00/5.99	Pass
Acetone	750	< LOQ	7.41/22.2	Pass	Propanol	5000	ND	6.57/19.7	Pass
Acetonitrile	60	ND	6.22/18.7	Pass	Pyridine	100	ND	0.241/0.725	Pass
Benzene	1	ND	0.258/0.773	Pass	Sulfolane	160	ND	8.58/25.7	Pass
Butane	5000	ND	0.747/2.24	Pass	Tetrahydrofuran	720	ND	0.797/2.39	Pass
Chloroform	2	ND	0.177/0.531	Pass	Toluene	150	1.47	0.208/0.623	Pass
Cumene	70	ND	0.271/0.812	Pass	Trichloroethylene	25	ND	3.43/10.3	Pass
Cyclohexane	3880	ND	6.38/19.1	Pass	o-Xylene	150	ND	0.144/0.430	Pass
Dichloromethane	600	ND	0.368/1.10	Pass	p- and m-Xylene	150	ND	0.0867/0.260	Pass
Dimethyl sulfoxide	5000	ND	0.852/2.56	Pass					

Compliance requirements for this test are taken from UT-FL-comprehensive Cannabis/Hemp (Based on Submission Type) regulations.

HM-INST-003, HM-PREP-001: HM-INST-003, HM-PREP-001: Heavy Metals Testing by ICP-MS • Jul 28, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Arsenic	0.2	ND	0.00300/0.00900	Pass	Lead	0.5	ND	0.00100/0.00400	Pass
Cadmium	0.2	ND	0.00100/0.00200	Pass	Mercury	0.1	ND	0.00500/0.0140	Pass

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.



Signature

Signature

HM-INST-003, HM-PREP-001: HM-INST-003, HM-PREP-001: Additional Heavy Metals Testing by ICP-MS • Jul 28, 2026

Analyte	Limit	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Antimony		ND	0.00695/0.0208	N/A	Copper		ND	0.0109/0.0326	N/A
Chromium		ND	0.00926/0.0278	N/A	Nickel		ND	0.00517/0.0155	N/A

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

MICRO-INST-001, MICRO-PREP-001: MICRO-INST-001, MICRO-PREP-001: PCR-Microbial (inhalable) • Jul 27, 2026

Analyte	Limit	Amt	Pass/Fail	Analyte	Limit	Amt	Pass/Fail
Aspergillus flavus	Any amt in 1 gram	ND	Pass	Aspergillus terreus	Any amt in 1 gram	ND	Pass
Aspergillus fumigatus	Any amt in 1 gram	ND	Pass	Salmonella spp.	Any amt in 1 gram	ND	Pass
Aspergillus niger	Any amt in 1 gram	ND	Pass	Shiga toxin-producing E. coli	Any amt in 1 gram	ND	Pass

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

Petrifilm-Listeria • Jul 28, 2026

Analyte	Limit	Amt	Pass/Fail
Listeria spp.		ND	N/A

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

MICR-001, MICR-002: MICR-001, MICR-002: Petrifilm-Aerobic • Jul 29, 2026

Analyte	Limit (CFU/g)	Amt (CFU/g)	Pass/Fail
Aerobic Bacteria	10000	ND	Pass

Compliance requirements for this test are taken from CO Hemp regulations.

MICR-001, MICR-002: MICR-001, MICR-002: Petrifilm-Coliforms • Jul 29, 2026

Analyte	Limit (CFU/g)	Amt (CFU/g)	Pass/Fail
Coliforms	100	ND	Pass

Compliance requirements for this test are taken from CO Hemp regulations.

Petrifilm-E. Coli • Jul 29, 2026

Analyte	Limit	Amt	Pass/Fail
Escherichia coli		ND	N/A

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

MICR-004, MICR-006: MICR-004, MICR-006: Petrifilm-Rapid Yeast & Mold • Jul 29, 2026

Analyte	Limit (CFU/g)	Amt (CFU/g)	Pass/Fail
Yeast & Mold	1000	ND	Pass

Compliance requirements for this test are taken from CO Hemp regulations.

Petrifilm-Enterobacteriaceae • Jul 29, 2026

Analyte	Limit	Amt	Pass/Fail
Enterobacteriaceae		ND	N/A

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Mycotoxin Analysis by LC-MS/MS • Jul 29, 2026

Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail	Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail
Aflatoxin B1		ND	1.10/3.29	N/A	Aflatoxin G2		ND	0.745/2.54	N/A
Aflatoxin B2		ND	0.952/2.86	N/A	Aflatoxins	20	ND		Pass
Aflatoxin G1		ND	2.41/7.22	N/A	Ochratoxin A	20	ND	4.41/13.4	Pass

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.



[Signature]

[Signature]

PEST-GC-INST-003, PEST-GC-PREP-001: PEST-GC-INST-003, PEST-GC-PREP-001: Pesticide Analysis by GC-MS/MS • Jul 30, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Captan	0.7	ND	0.120/0.358	Pass	Cypermethrin	1	ND	0.0602/0.181	Pass
Chlordane	Any amt	ND	0.0249/0.0747	Pass	Methyl parathion	Any amt	ND	0.00811/0.0243	Pass
Chlorfenapyr	Any amt	ND	0.0251/0.0753	Pass	Pentachloronitrobenzene	0.1	ND	0.0182/0.0545	Pass
Cyfluthrin	2	ND	0.0186/0.0558	Pass					

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Pesticide Analysis by LC-MS/MS • Jul 29, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Abamectin	0.1	ND	0.0500/0.100	Pass	Imazalil	Any amt	ND	0.00898/0.0300	Pass
Acephate	0.1	ND	0.00743/0.0300	Pass	Imidacloprid	5	ND	0.0109/0.0331	Pass
Acequinocyl	0.1	ND	0.0150/0.0456	Pass	Kresoxim-methyl	0.1	ND	0.00708/0.0300	Pass
Acetamiprid	0.1	ND	0.00496/0.0300	Pass	Malathion	0.5	ND	0.00313/0.0300	Pass
Aldicarb	Any amt	ND	0.00838/0.0300	Pass	Metalaxyl	2	ND	0.00467/0.0300	Pass
Azoxystrobin	0.1	ND	0.00530/0.0300	Pass	Methiocarb	Any amt	ND	0.00245/0.0300	Pass
Bifenazate	0.1	ND	0.00706/0.0300	Pass	Methomyl	1	ND	0.00879/0.0300	Pass
Bifenthrin	3	ND	0.00439/0.0300	Pass	Mevinphos	Any amt	ND	0.00772/0.0300	Pass
Boscalid	0.1	ND	0.00809/0.0300	Pass	Myclobutanil	0.1	ND	0.00707/0.0300	Pass
Carbaryl	0.5	ND	0.00604/0.0300	Pass	Naled	0.1	ND	0.00849/0.0300	Pass
Carbofuran	Any amt	ND	0.00538/0.0300	Pass	Oxamyl	0.5	ND	0.00746/0.0300	Pass
Chlorantraniliprole	10	ND	0.00883/0.0300	Pass	Paclobutrazol	Any amt	ND	0.00851/0.0300	Pass
Chlorpyrifos	Any amt	ND	0.0152/0.0460	Pass	Permethrin	0.5	ND	0.00190/0.0300	Pass
Clofentezine	0.1	ND	0.00206/0.0300	Pass	Phosmet	0.1	ND	0.00511/0.0300	Pass
Coumaphos	Any amt	ND	0.00393/0.0300	Pass	Piperonylbutoxide	3	ND	0.00267/0.0300	Pass
Daminozide	Any amt	ND	0.0176/0.0534	Pass	Prallethrin	0.1	ND	0.0235/0.0711	Pass
Diazinon	0.1	ND	0.00475/0.0300	Pass	Propiconazole	0.1	ND	0.00909/0.0300	Pass
Dichlorvos	Any amt	ND	0.0182/0.0550	Pass	Propoxur	Any amt	ND	0.00780/0.0300	Pass
Dimethoate	Any amt	ND	0.00592/0.0300	Pass	Pyrethrins	0.5	ND	0.00278/0.0300	Pass
Dimethomorph	2	ND	0.00454/0.0300	Pass	Pyridaben	0.1	ND	0.00231/0.0300	Pass
Ethoprophos	Any amt	ND	0.00610/0.0300	Pass	Spinetoram	0.1	ND	0.00119/0.0300	Pass
Etofenprox	Any amt	ND	0.00437/0.0300	Pass	Spinosad	0.1	ND	0.000830/0.0300	Pass
Etoxazole	0.1	ND	0.00365/0.0300	Pass	Spiromesifen	0.1	ND	0.00894/0.0300	Pass
Fenhexamid	0.1	ND	0.0113/0.0342	Pass	Spirotetramat	0.1	ND	0.00808/0.0300	Pass
Fenoxycarb	Any amt	ND	0.00415/0.0300	Pass	Spiroxamine	Any amt	ND	0.00555/0.0300	Pass
Fenpyroximate	0.1	ND	0.00396/0.0300	Pass	Tebuconazole	0.1	ND	0.00605/0.0300	Pass
Fipronil	Any amt	ND	0.0165/0.0500	Pass	Thiacloprid	Any amt	ND	0.00506/0.0300	Pass
Flonicamid	0.1	ND	0.0115/0.0350	Pass	Thiamethoxam	5	ND	0.00760/0.0300	Pass
Fludioxonil	0.1	ND	0.0119/0.0362	Pass	Trifloxystrobin	0.1	ND	0.00293/0.0300	Pass
Hexythiazox	0.1	ND	0.00124/0.0300	Pass					

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

PEST-GC-INST-003, PEST-GC-PREP-001: PEST-GC-INST-003, PEST-GC-PREP-001: Colorado Pesticides by GC-MS/MS • Jul 31, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
α-Endosulfan	0.353	ND	0.118/0.353	Pass	Iprodione	0.475	ND	0.158/0.475	Pass
β-Endosulfan	0.239	ND	0.0797/0.239	Pass	Kinoprene	0.221	ND	0.0738/0.221	Pass
Chlorfenapyr	0.0244	ND	0.00814/0.0244	Pass	Methyl parathion	0.0257	ND	0.00857/0.0257	Pass
Cyfluthrin	0.0384	ND	0.0128/0.0384	Pass	MGK-264	Any amt	ND		Pass
Cypermethrin	0.0525	ND	0.0175/0.0525	Pass	MGK-264 I		ND	0.00152/0.00457	N/A
Endosulfan sulfate	0.0257	ND	0.00856/0.0257	Pass	MGK-264 II		ND	0.00392/0.0118	N/A
Etridiazole	0.0441	ND	0.0147/0.0441	Pass	Quintozene	0.016	ND	0.00533/0.0160	Pass
Fenvalerate	0.402	ND	0.134/0.402	Pass					

Compliance requirements for this test are taken from CO Hemp regulations.



Signature

Signature

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Colorado Pesticides by LC-MS/MS • Jul 29, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Abamectin	0.1	ND	0.0500/0.100	Pass	Hexythiazox	0.03	ND	0.0100/0.0300	Pass
Acephate	0.03	ND	0.0100/0.0300	Pass	Imazalil	0.01	ND	0.00500/0.0100	Pass
Acequinocyl	0.075	ND	0.0200/0.0750	Pass	Imidacloprid	0.01	ND	0.00500/0.0100	Pass
Acetamiprid	0.03	ND	0.0100/0.0300	Pass	Kresoxim-methyl	0.03	ND	0.0100/0.0300	Pass
Aldicarb	0.03	ND	0.0100/0.0300	Pass	Malathion	0.01	ND	0.00500/0.0100	Pass
Allethrin	0.03	ND	0.0150/0.0300	Pass	Metaxalyl	0.01	ND	0.00500/0.0100	Pass
Atrazine	0.005	ND	0.00500/0.00500	Pass	Methiocarb	0.01	ND	0.00500/0.0100	Pass
Azadirachtin	0.05	ND	0.0300/0.0500	Pass	Methomyl	0.025	ND	0.0100/0.0250	Pass
Azoxystrobin	0.01	ND	0.00500/0.0100	Pass	Methoprene	0.05	ND	0.0250/0.0500	Pass
Benzovindiflupyr	0.005	ND	0.00500/0.00500	Pass	Mevinphos	0.025	ND	0.0100/0.0250	Pass
Bifenazate	0.01	ND	0.00500/0.0100	Pass	Myclobutanil	0.01	ND	0.00500/0.0100	Pass
Bifenthrin	0.03	ND	0.00500/0.0300	Pass	Naled	0.03	ND	0.0200/0.0300	Pass
Boscalid	0.01	ND	0.00500/0.0100	Pass	Novaluron	0.02	ND	0.0100/0.0200	Pass
Buprofezin	0.03	ND	0.0150/0.0300	Pass	Oxamyl	0.03	ND	0.0200/0.0300	Pass
Carbaryl	0.025	ND	0.0100/0.0250	Pass	Paclobutrazol	0.01	ND	0.00500/0.0100	Pass
Carbofuran	0.01	ND	0.00500/0.0100	Pass	Permethrin	0.03	ND	0.00190/0.0300	Pass
Chlorantraniliprole	0.03	ND	0.0100/0.0300	Pass	Phenothrin	0.03	ND	0.0150/0.0300	Pass
Chlorpyrifos	0.075	ND	0.0100/0.0750	Pass	Phosmet	0.03	ND	0.0200/0.0300	Pass
Clofentezine	0.01	ND	0.00500/0.0100	Pass	Piperonylbutoxide	0.03	ND	0.0100/0.0300	Pass
Clothianidin	0.01	ND	0.00500/0.0100	Pass	Pirimicarb	0.01	ND	0.00500/0.0100	Pass
Coumaphos	0.01	ND	0.00500/0.0100	Pass	Prallethrin	0.075	ND	0.0300/0.0750	Pass
Cyantraniliprole	0.01	ND	0.00500/0.0100	Pass	Propiconazole	0.03	ND	0.0100/0.0300	Pass
Cyhalothrin lambda	0.05	ND	0.0300/0.0500	Pass	Propoxur	0.01	ND	0.00500/0.0100	Pass
Cyprodinil	0.01	ND	0.00500/0.0100	Pass	Pyraclostrobin	0.01	ND	0.00500/0.0100	Pass
Daminozide	0.075	ND	0.0500/0.0750	Pass	Pyrethrins	0.03	ND	0.00278/0.0300	Pass
Δmethrin	0.05	ND	0.0250/0.0500	Pass	Pyridaben	0.02	ND	0.0100/0.0200	Pass
Diazinon	0.03	ND	0.0100/0.0300	Pass	Pyriproxyfen	0.01	ND	0.00500/0.0100	Pass
Dichlorvos	0.05	ND	0.0200/0.0500	Pass	Resmethrin	0.05	ND	0.0250/0.0500	Pass
Dimethoate	0.01	ND	0.00500/0.0100	Pass	Spinetoram	0.03	ND	0.00119/0.0300	Pass
Dimethomorph	0.03	ND	0.0100/0.0300	Pass	Spinosad	0.03	ND	0.000830/0.0300	Pass
Dinotefuran	0.05	ND	0.0250/0.0500	Pass	Spirodiclofen	0.05	ND	0.0250/0.0500	Pass
Diuron	0.01	ND	0.00500/0.0100	Pass	Spiromesifen	0.03	ND	0.0100/0.0300	Pass
Dodemorph	0.02	ND	0.0100/0.0200	Pass	Spirotetramat	0.01	ND	0.00500/0.0100	Pass
Ethoprophos	0.01	ND	0.00500/0.0100	Pass	Spiroxamine	0.03	ND	0.0200/0.0300	Pass
Etofenprox	0.03	ND	0.0100/0.0300	Pass	Tebuconazole	0.01	ND	0.00500/0.0100	Pass
Etoxazole	0.03	ND	0.0100/0.0300	Pass	Tebufenozide	0.01	ND	0.00500/0.0100	Pass
Fenhexamid	0.045	ND	0.0200/0.0450	Pass	Teflubenzuron	0.02	ND	0.0100/0.0200	Pass
Fenoxycarb	0.01	ND	0.00500/0.0100	Pass	Tetrachlorvinphos	0.01	ND	0.00500/0.0100	Pass
Fenpyroximate	0.03	ND	0.0100/0.0300	Pass	Tetramethrin	0.05	ND	0.0250/0.0500	Pass
Fensulfothion	0.01	ND	0.00500/0.0100	Pass	Thiabendazole	0.01	ND	0.00500/0.0100	Pass
Fenthion	0.0068	ND	0.00227/0.00680	Pass	Thiacloprid	0.01	ND	0.00500/0.0100	Pass
Fipronil	0.01	ND	0.00500/0.0100	Pass	Thiamethoxam	0.01	ND	0.00500/0.0100	Pass
Flonicamid	0.025	ND	0.0100/0.0250	Pass	Thiophanate-methyl	0.02	ND	0.0100/0.0200	Pass
Fludioxonil	0.01	ND	0.00500/0.0100	Pass	Trifloxystrobin	0.01	ND	0.00500/0.0100	Pass
Fluopyram	0.005	ND	0.00500/0.00500	Pass					

Compliance requirements for this test are taken from CO Hemp regulations.

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Chlormequat by LC MS-MS • Jul 31, 2026

Analyte	Limit	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Chlormequat chloride		ND	0.00862/0.0259	N/A

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

Diluents by GC-MS/MS • Aug 01, 2026

Analyte	Limit	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Vitamin E Acetate		ND	0.700/2.10	N/A	Glycerol tricaprionate (C6)		ND	0.900/2.60	N/A
Glycerol tricaprinate (C10)		ND	0.900/2.70	N/A	Glycerol tricaprylate (C8)		ND	0.600/1.70	N/A
Glycerol trilaurate (C12)		ND	2.00/6.00	N/A					

Compliance requirements for this test are taken from No Compliance regulations.



[Signature]

[Signature]