

KCA Laboratories 232 North Plaza Drive Nicholasville, KY 40356

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P\_0058

1 of 1

## Thc-A Pod Mac 1 Sample ID: SA-240918-48839 Batch: Impthca001 Received: 09/20/2024 Type: Finished Product - Inhalable Completed: 10/01/2024 Matrix: Concentrate - Distillate Unit Mass (g): Summary **Date Tested** Test Status 10/01/2024 Cannabinoids Tested 0.0856 % 97.7 % Not Tested Not Tested 52.9 % Yes ∆9-THC (6aR,9R,10aR)-HHC **Total Cannabinoids Moisture Content** Foreign Matter Internal Standard Normalization Cannabinoids by GC-MS/MS LOD LOO Result Result Analyte (%) (%) (%) (mg/g) CBC 0.0284 ND 0.0095 ND CBCV 0.006 0.018 ND ND CBD 0.0081 0.0242 ND ND CBDV 0.0061 0.0182 ND ND CBG 0.0057 0.0172 ND ND CBL 0.0112 0.0335 ND ND CBN 0.0402 0.0056 0.0169 0.402 CBT 0.018 0.054 ND ND ∆8-THC 0.0104 0.0312 ND ND ∆9-THC 0.0076 0.0227 0.0856 0.856 ∆9-THCA 0.0084 21.3 213 ∆9-THCV 0.0069 0.0206 ND ND (6aR,9R,10aR)-HHC 0.0067 0.02 52.9 529 0.0067 (6aR,9S,10aR)-HHC 234 234 Total ∆9-THC 18.8 188 Total 97.7 977

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit;  $\Delta$  = Delta; Total  $\Delta$ 9-THC =  $\Delta$ 9-THCA \* 0.877 +  $\Delta$ 9-THC; Total CBD = CBDA \* 0.877 + CBD;

Generated By: Ryan Bellone CCO Date: 10/01/2024

Tested By: Scott Caudill Laboratory Manager Date: 10/01/2024





This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.